



Ref. Certif. No.

**DK-65970-UL**

**IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME**

**CB TEST CERTIFICATE**

Product

Component power supply

Name and address of the applicant

YANGZHOU PAIRUI IMP & EXP CO LTD  
1518 DEXIN MANSION 545 MUSEUM RD YANGZHOU  
JIANGSU 225009  
CHINA

Name and address of the manufacturer

TIANCHANG PAIRUI ELECTRONICS CO., LTD.  
NO. 286 PEOPLE EAST ROAD, RENHE TOWN,  
TIANCHANG CITY, ANHUI PROVINCE,  
CHINA 239331

Name and address of the factory

TIANCHANG PAIRUI ELECTRONICS CO., LTD.  
NO. 286 PEOPLE EAST ROAD, RENHE TOWN,  
TIANCHANG CITY, ANHUI PROVINCE,  
CHINA 239331

*Note: When more than one factory, please report on page 2*

Additional Information on page 2

Ratings and principal characteristics

Input:  
100-240Vac, 50/60Hz, 0.45A.  
Output:  
1) 12Vdc, 1.2A, 2) 24Vdc, 0.65A.

Trademark (if any)

PAIRUI

Type of Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

1) IS15-12, 2) IS15-24

Additional information (if necessary may also be reported on page 2)

National Differences specified in the CB Test Report.  
 Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60950-1(ed.2), IEC 60950-1(ed.2);am1,  
IEC 60950-1(ed.2);am2

As shown in the Test Report Ref. No. which forms part of this Certificate

E469011-A2-CB-1 issued on 2017-08-15

This CB Test Certificate is issued by the National Certification Body



- UL (US), 333 Pflingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2017-08-15

Signature:

Jan-Erik Storgaard



Ref. Certif. No.

**DK-65979-UL**

**IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME**

**CB TEST CERTIFICATE**

Product

Component power supply

Name and address of the applicant

YANGZHOU PAIRUI IMP & EXP CO LTD  
1518 DEXIN MANSION 545 MUSEUM RD YANGZHOU  
JIANGSU 225009  
CHINA

Name and address of the manufacturer

TIANCHANG PAIRUI ELECTRONICS CO., LTD.  
NO. 286 PEOPLE EAST ROAD, RENHE TOWN,  
TIANCHANG CITY, ANHUI PROVINCE,  
CHINA 239331

Name and address of the factory

TIANCHANG PAIRUI ELECTRONICS CO., LTD.  
NO. 286 PEOPLE EAST ROAD, RENHE TOWN,  
TIANCHANG CITY, ANHUI PROVINCE,  
CHINA 239331

*Note: When more than one factory, please report on page 2*

Additional Information on page 2

Ratings and principal characteristics

Input:  
100-240Vac, 50/60Hz, 0.9A.  
Output:  
1) 5Vdc, 5A, 2) 12Vdc, 2.5A, 3) 24Vdc, 1.3A.

Trademark (if any)

PAIRUI

Type of Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

1) IS30-5, 2) IS30-12, 3) IS30-24

Additional information (if necessary may also be reported on page 2)

National Differences specified in the CB Test Report.  
 Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60950-1(ed.2), IEC 60950-1(ed.2);am1,  
IEC 60950-1(ed.2);am2

As shown in the Test Report Ref. No. which forms part of this Certificate

E469011-A4-CB-1 issued on 2017-08-15

This CB Test Certificate is issued by the National Certification Body



- UL (US), 333 Pflingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2017-08-15

Signature:

Jan-Erik Storgaard



Ref. Certif. No.

**DK-65968-UL**

**IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME**

**CB TEST CERTIFICATE**

Product

Component power supply

Name and address of the applicant

YANGZHOU PAIRUI IMP & EXP CO LTD  
1518 DEXIN MANSION 545 MUSEUM RD YANGZHOU  
JIANGSU 225009  
CHINA

Name and address of the manufacturer

TIANCHANG PAIRUI ELECTRONICS CO., LTD.  
NO. 286 PEOPLE EAST ROAD, RENHE TOWN,  
TIANCHANG CITY, ANHUI PROVINCE,  
CHINA 239331

Name and address of the factory

*Note: When more than one factory, please report on page 2*

TIANCHANG PAIRUI ELECTRONICS CO., LTD.  
NO. 286 PEOPLE EAST ROAD, RENHE TOWN,  
TIANCHANG CITY, ANHUI PROVINCE,  
CHINA 239331

Additional Information on page 2

Ratings and principal characteristics

Input:  
100-240Vac, 50/60Hz, 1.3A.

Output:  
1) 12Vdc, 4.2A, 2) 24Vdc, 2.2A, 3) 48Vdc, 1.1A.

Trademark (if any)

PAIRUI

Type of Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

1) IS50-12, 2) IS50-24, 3) IS50-48

Additional information (if necessary may also be reported on page 2)

National Differences specified in the CB Test Report.

Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60950-1(ed.2), IEC 60950-1(ed.2);am1,  
IEC 60950-1(ed.2);am2

As shown in the Test Report Ref. No. which forms part of this Certificate

E469011-A1-CB-1 issued on 2017-08-15

This CB Test Certificate is issued by the National Certification Body



- UL (US), 333 Pflingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2017-08-15

Signature:

Jan-Erik Storgaard



Ref. Certif. No.

**DK-65982-UL**

**IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME**

**CB TEST CERTIFICATE**

Product

Component power supply

Name and address of the applicant

YANGZHOU PAIRUI IMP & EXP CO LTD  
1518 DEXIN MANSION 545 MUSEUM RD YANGZHOU  
JIANGSU 225009  
CHINA

Name and address of the manufacturer

TIANCHANG PAIRUI ELECTRONICS CO., LTD.  
NO. 286 PEOPLE EAST ROAD, RENHE TOWN,  
TIANCHANG CITY, ANHUI PROVINCE,  
CHINA 239331

Name and address of the factory

TIANCHANG PAIRUI ELECTRONICS CO., LTD.  
NO. 286 PEOPLE EAST ROAD, RENHE TOWN,  
TIANCHANG CITY, ANHUI PROVINCE,  
CHINA 239331

*Note: When more than one factory, please report on page 2*

Additional Information on page 2

Ratings and principal characteristics

Input:  
100-240Vac, 50/60Hz, 2A.  
Output:  
1) 12Vdc, 5A, 2) 24Vdc, 3A, 3) 48Vdc, 1.5A.

Trademark (if any)

PAIRUI

Type of Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

1) IS70-12, 2) IS70-24, 3) IS70-48

Additional information (if necessary may also be reported on page 2)

National Differences specified in the CB Test Report.  
 Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60950-1(ed.2), IEC 60950-1(ed.2);am1,  
IEC 60950-1(ed.2);am2

As shown in the Test Report Ref. No. which forms part of this Certificate

E469011-A5-CB-1 issued on 2017-08-15

This CB Test Certificate is issued by the National Certification Body



- UL (US), 333 Pflingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2017-08-15

Signature:

Jan-Erik Storgaard

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)  
CB SCHEME

## CB TEST CERTIFICATE

Product

Component power supply

Name and address of the applicant

YANGZHOU PAIRUI IMP & EXP CO LTD  
1518 DEXIN MANSION 545 MUSEUM RD YANGZHOU  
JIANGSU 225009  
CHINA

Name and address of the manufacturer

TIANCHANG PAIRUI ELECTRONICS CO., LTD.  
NO. 286 PEOPLE EAST ROAD, RENHE TOWN,  
TIANCHANG CITY, ANHUI PROVINCE,  
CHINA 239331

Name and address of the factory

TIANCHANG PAIRUI ELECTRONICS CO., LTD.  
NO. 286 PEOPLE EAST ROAD, RENHE TOWN,  
TIANCHANG CITY, ANHUI PROVINCE,  
CHINA 239331

Note: When more than one factory, please report on page 2

 Additional Information on page 2

Ratings and principal characteristics

Input:  
100-240Vac, 50/60Hz, 2.8A.Output:  
1) 12Vdc, 8A, 2) 24Vdc, 5A, 3) 48Vdc, 2.5A.

Trademark (if any)

PAIRUI

Type of Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

1) IS120-12, 2) IS120-24, 3) IS120-48

Additional information (if necessary may also be reported on page 2)

National Differences specified in the CB Test Report.

 Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60950-1(ed.2), IEC 60950-1(ed.2);am1,  
IEC 60950-1(ed.2);am2

As shown in the Test Report Ref. No. which forms part of this Certificate

E469011-A3-CB-1 issued on 2017-08-15

This CB Test Certificate is issued by the National Certification Body



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2017-08-15

Signature:

Jan-Erik Storgaard



Ref. Certif. No.

**DK-65984-UL**

**IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME**

**CB TEST CERTIFICATE**

Product

Component power supply

Name and address of the applicant

YANGZHOU PAIRUI IMP & EXP CO LTD  
1518 DEXIN MANSION 545 MUSEUM RD YANGZHOU  
JIANGSU 225009  
CHINA

Name and address of the manufacturer

TIANCHANG PAIRUI ELECTRONICS CO., LTD.  
NO. 286 PEOPLE EAST ROAD, RENHE TOWN,  
TIANCHANG CITY, ANHUI PROVINCE,  
CHINA| 239331

Name and address of the factory

TIANCHANG PAIRUI ELECTRONICS CO., LTD.  
NO. 286 PEOPLE EAST ROAD, RENHE TOWN,  
TIANCHANG CITY, ANHUI PROVINCE,  
CHINA 239331

Note: When more than one factory, please report on page 2

Additional Information on page 2

Ratings and principal characteristics

Input:  
100-240Vac, 50/60Hz, 2.8A.  
Output:  
1) 24Vdc, 7.5A, 2) 48Vdc, 3.8A.

Trademark (if any)

PAIRUI

Type of Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

1) IS180-24, 2) IS180-48

Additional information (if necessary may also be reported on page 2)

National Differences specified in the CB Test Report.  
 Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60950-1(ed.2), IEC 60950-1(ed.2);am1,  
IEC 60950-1(ed.2);am2

As shown in the Test Report Ref. No. which forms part of this Certificate

E469011-A6-CB-1 issued on 2017-08-15

This CB Test Certificate is issued by the National Certification Body



- UL (US), 333 Pflingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2017-08-15

Signature:

Jan-Erik Storgaard



Ref. Certif. No.

**DK-65985-UL**

**IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME**

**CB TEST CERTIFICATE**

Product

Component power supply

Name and address of the applicant

YANGZHOU PAIRUI IMP & EXP CO LTD  
1518 DEXIN MANSION 545 MUSEUM RD YANGZHOU  
JIANGSU 225009  
CHINA

Name and address of the manufacturer

TIANCHANG PAIRUI ELECTRONICS CO., LTD.  
NO. 286 PEOPLE EAST ROAD, RENHE TOWN,  
TIANCHANG CITY, ANHUI PROVINCE,  
CHINA 239331

Name and address of the factory

TIANCHANG PAIRUI ELECTRONICS CO., LTD.  
NO. 286 PEOPLE EAST ROAD, RENHE TOWN,  
TIANCHANG CITY, ANHUI PROVINCE,  
CHINA 239331

*Note: When more than one factory, please report on page 2*

Additional Information on page 2

Ratings and principal characteristics

Input:  
100-240Vac, 50/60Hz, 3.5A.  
Output:  
1) 24Vdc, 10A, 2) 48Vdc, 5A.

Trademark (if any)

PAIRUI

Type of Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

1) IS240-24, 2) IS240-48

Additional information (if necessary may also be reported on page 2)

National Differences specified in the CB Test Report.  
 Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60950-1(ed.2), IEC 60950-1(ed.2);am1,  
IEC 60950-1(ed.2);am2

As shown in the Test Report Ref. No. which forms part of this Certificate

E469011-A7-CB-1 issued on 2017-08-15

This CB Test Certificate is issued by the National Certification Body



- UL (US), 333 Pflingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2017-08-15

Signature:

Jan-Erik Storgaard

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)  
CB SCHEME

## CB TEST CERTIFICATE

Product	AC-DC Din Rail Mounted Power Supply
Name and address of the applicant	TIANCHANG FUAN ELECTRONIC CO LTD 286 RENMIN EAST ROAD RENHE TOWN TIANCHANG CITY ANHUI 239331 CHINA
Name and address of the manufacturer	TIANCHANG FUAN ELECTRONIC CO LTD 286 RENMIN EAST ROAD RENHE TOWN TIANCHANG CITY ANHUI 239331 CHINA
Name and address of the factory	TIANCHANG FUAN ELECTRONIC CO LTD 286 RENMIN EAST ROAD RENHE TOWN TIANCHANG CITY ANHUI 239331 CHINA
Note: When more than one factory, please report on page 2	
Ratings and principal characteristics	<input type="checkbox"/> Additional Information on page 2 Input: 100-240Vac; 50/60Hz; 5A Output: 1) DC24V; 20A 2) DC48V; 10A
Trademark / Brand (if any)	PAIRUI 
Type of Customer's Testing Facility (CTF) Stage used	
Model / Type Ref.	(1) IS480-24, (2) IS480-48
Additional information (if necessary may also be reported on page 2)	Additionally evaluated to EN 62368-1:2014/A11:2017. National Difference specified in the CB Test Report. <input type="checkbox"/> Additional Information on page 2
A sample of the product was tested and found to be in conformity with	IEC 62368-1:2014
As shown in the Test Report Ref. No. which forms part of this Certificate	E507552-A6002-CB-1 issued on 2020-08-12

This CB Test Certificate is issued by the National Certification Body



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2020-08-13

Signature:

Jan-Erik Storgaard